ANALYTICA CHIMICA ACTA, VOL. 286 (1993)

AUTHOR INDEX

Acheson, R., see Laskowski, J.J. 9 Adams, F.C., see Łobiński, R. 381 Adams, F.C., see Dirkx, W.M.R. 309 Adams, J.M., see Elton, N.J. 37 Alzaga, R., see Dachs, J. 319 Anglov, T., see Dyg, S. 273 Auxier, J.A., see Wu, M. 155

Ballschmiter, K., see Morosini, M. 451
Barceló, D., see Honing, M. 457
Barker, J., see Renault, J. 129
Bayona, J.M., see Dachs, J. 319
Beckers, M.L.M., see Lucasius, C.B. 135
Beemsterboer, B., see Van Raaphorst, J.G. 291
Belin, C., see Martin, F.M. 343
Benson, R., see Fairman, B. 401
Blount, A.M.
— and Carr, F.P.

Determining a viable x-ray diffraction technique for routine quantification of the quartz content of powdered carbonates 117

Brinkman, U.A.Th., see Stäb, J.A. 335 Brinkman, U.A.Th., see Honing, M. 457 Brown, A.A.

—, Ebdon, L. and Hill, S.J.
Development of a coupled liquid chromatography-isotope dilution inductively coupled plasma mass spectrometry method for lead speciation 391

Cámara, C., see Cobo, M.G. 371 Cámara, C., see Olivas, R.M. 357 Caricchia, A.M.

-, Chiavarini, S., Cremisini, C., Morabito, R. and Scerbo, R.

Influence of storage conditions on the determination of organotin in mussels 329

Carr, F.P., see Blount, A.M. 117 Cerdà, V., see Cladera, A. 253 Chen, B., see Gao, Z. 213 Chiavarini, S., see Caricchia, A.M. 329

Cladera, A.

Chisholm, J.E.

Determination of cristobalite in respirable airborne dust

using x-ray diffraction 87 Christensen, J.M., see Dyg, S. 273

—, Tomás, C., Estela, J.M. and Cerdà, V. New methodology for calculation of acid-base dissociation constants of monoprotic and diprotic acids with close p.K. values from absorptiometric data and pH measurements 253

Cobo, M.G. —, Palacios, M.A., Cámara, C., Reis, F. and Quevauviller, Ph.

Effect of physicochemical parameters on trace inorganic selenium stability 371

Cofino, W.P., see Stäb, J.A. 335 Cornelis, R., see Dyg, S. 297 Cremisini, C., see Caricchia, A.M. 329

Dachs, J.

—, Alzaga, R., Bayona, J.M. and Quevauviller, P. Development of a supercritical fluid extraction procedure for tributyltin determination in sediments 319

Dähne, S., see Hoffmann, K. 241 Davidson, C.M., see Thomas, R.P. 423 Deurloo, P.A., see Van Raaphorst, J.G. 291 DiCarlo, L., see Morgan, L.E. 81 Dirkx, W.M.R.

—, Łobiński, R. and Adams, F.C. Speciation analysis of organotin in water and sediments by gas chromatography with optical spectrometric detection after extraction separation 309

Dirkx, W.M.R., see Łobiński, R. 381 Donard, O.F.X., see Martin, F.M. 343 Donard, O.F.X., see Olivas, R.M. 357 Dyg, S.

—, Anglov, T. and Christensen, J.M.
 Preparation of filters loaded with welding dust. A homogeneity and stability study of hexavalent chromium 273
 —, Cornelis, R., Griepink, B. and Quevauviller, P.
 Development and interlaboratory testing of aqueous and lyophilized Cr(III) and Cr(VI) reference materials 297

Ebdon, L., see Brown, A.A. 391 Echarri, I., see Wells, D.E. 431 Echols, R.T. — and Tyson, J.F.

Comparison of mixing devices for flow-injection determinations based on doublet peak formation 169

Elton, N.J.

— and Salt. P.D.

Determination of low levels of quartz in calcium carbonates by x-ray diffractometry 57

 Salt, P.D. and Adams, J.M.
 Determination of quartz in kaolins by x-ray powder diffractometry 37 Elzea, J.M.

-, Odom, I.E. and Miles, W.J.

Distinguishing well ordered opal-CT and opal-C from high temperature cristobalite by x-ray diffraction 107

Estela, J.M., see Cladera, A. 253

Fairman, B.

—, Sanz-Medel, A., Gallego, M., Quintela, M.J., Jones, P. and Benson, R.

Method comparison for the determination of labile aluminium species in natural waters 401

Forder, S.D., see Laskowski, J.J. 9

Gallego, M., see Fairman, B. 401 Gao, Z.

-, Zi. M. and Chen. B.

Permeability controllable overoxidised polypyrrole film modified glassy carbon electrodes 213

Ghijsen, R.T., see Honing, M. 457

Gray, R., see Laskowski, J.J. 9

Griepink, B., see Dyg, S. 297

Gündüz, T.

- and Taştekin, M.

Titrations in non-aqueous media: Conductimetric and spectrophotometric investigation of reactions between iodine and aliphatic amines in acetonitrile 247

Hamilton, R.D., see Miles, W.J. 3

Haremaker, H.M., see Van Raaphorst, J.G. 291

Hashimot, K.

-, Ito, K. and Ishimori, Y.

Novel DNA sensor for electrochemical gene detection 219

Heumann, K.G., see Nusko, R. 283

Hieftje, G.M., see Wu, M. 155

Hill, S.J., see Brown, A.A. 391

Hoffmann, K.

-, Stahl, U. and Dähne, S.

Fluorescence lifetimes of metal(III) chelates of 5sulphoquinolin-8-ol and their modification by the internal heavy atom effect 241

Honing, M.

—, Barceló, D., Ghijsen, R.T. and Brinkman, U.A.Th. Optimisation of the liquid chromatographic separation of pirimicarb and its metabolites V-VII: application to a soil sample used as a candidate reference material 457

Hübner, U., see Scheller, U. 179

In 't Veld, P.H., see Janning, B. 469 Isawa, M., see Nomura, T. 205

Ishimori, Y., see Hashimot, K. 219

Ito, K., see Hashimot, K. 219

Janning, B.

- and in 't Veld, P.H.

Susceptibility of bacterial strains to desiccation: a simple method to test their stability in microbiological reference materials 469

Jones, P., see Fairman, B. 401

Kateman, G., see Lucasius, C.B. 135

Kowalczyk, G.

- and Roberts, J.E.

Solid state ²⁹Si NMR determination of crystalline silica in natural iron oxide pigments 25

Kretzmer, G., see Scheller, U. 179

Laskowski, J.J.

—, Young, J., Gray, R., Acheson, R. and Forder, S.D. The identity, development and quantification of phases in devitrified, commercial-grade, aluminosilicate, refractory ceramic fibres: an x-ray powder diffractometry study 9

Littlejohn, D., see Thomas, R.P. 423

Łobiński, R.

—, Dirkx, W.M.R., Szpunar-Łobińska, J. and Adams, F.C. Speciation analysis of organolead compounds by gas chromatography with atomic spectrometric detection. Review 381

Łobiński, R., see Dirkx, W.M.R. 309

López-Sánchez, J.F., see Thomas, R.P. 423

Lucasius, C.B.

-, Beckers, M.L.M. and Kateman, G.

Genetic algorithms in wavelength selection: a comparative study 135

Lunar, M.L.

- Rubio, S. and Pérez-Bendito, D.

Hexadecylpyridinium chloride micelles for the kinetic determination of sulphur-containing compounds by their induction of the iodine-azide reaction 233

Madrid, Y., see Wu, M. 155

Maleki, N., see Pakniat, M. 225

Martin, F.M.

--, Tseng, C.-M., Belin, C., Quevauviller, P. and Donard, O.F.X.

Interferences generated by organic and inorganic compounds during organotin speciation using hydride generation coupled with cryogenic trapping, gas chromatographic separation and detection by atomic absorption spectrometry 343

Martins, E.

- and Urch, D.S.

Progress towards an x-ray emission method for the speciation of sulphur in coal using S K_{β} emission 411

Matsuzawa, H., see Nomura, T. 205

McKee, C., see Renault, J. 129

Miles, W.J.

- and Hamilton, R.D.

Chemical methods of analysis for crystalline silica. A critical literature review 3

Miles, W.J.

Crystalline silica analysis of Wyoming bentonite by x-ray diffraction after phosphoric acid digestion 97

Miles, W.J., see Elzea, J.M. 107

Morabito, R., see Caricchia, A.M. 329

Morgan, L.E.

- and DiCarlo, L.

Quantitative determination of respirable quartz in bulk samples of organoclay by combined air classification/x-ray diffraction 81

Morosini, M.

- and Ballschmiter, K.

2,4,6-Trichlorophenyl alkyl ethers as retention index markers in capillary gas chromatography with electron-capture and mass spectrometric detection 451

Nomura, T.

-, Isawa, M., Matsuzawa, H. and Shibukawa, Y.

Adsorption of metal ions from solutions on the quartz plate of an electrode-separated piezoelectric quartz crystal 205

Nusko, R.

- and Heumann, K.G.

Chromium speciation with isotope dilution mass spectrometry 283

Odom, I.E., see Elzea, J.M. 107

Olivas, R.M.

—, Donard, O.F.X., Cámara, C. and Quevauviller, P. Analytical techniques applied to the speciation of selenium in environmental matrices. Review 357

Pakniat, M.

-, Maleki, N. and Safavi, A.

Construction and design of a gas-sensing detector capable of handling and determining sulphur- and phosphorus-containing gaseous samples 225

Palacios, M.A., see Cobo, M.G. 371

Pérez-Bendito, D., see Lunar, M.L. 233

Qin, Y.

- and Yang, J.

Synthesis of bisthiacrown ethers and their liquid-liquid extraction of copper(I) 265

Quevauviller, P., see Dachs, J. 319

Quevauviller, P., see Dyg, S. 297

Quevauviller, P., see Martin, F.M. 343

Quevauviller, P., see Olivas, R.M. 357

Quevauviller, Ph., see Cobo, M.G. 371

Quintela, M.J., see Fairman, B. 401

Rauret, G., see Thomas, R.P. 423

Reis, F., see Cobo, M.G. 371

Ren. K.

Piezoelectric sensor sensitive to nitrobenzene based on a cyclohexanone-formaldehyde coating 197

Renault, J.

-, McKee, C. and Barker, J.

New x-ray diffraction method of additions for crystalline silica 129

Riley, W.E., see Salter, T.L. 49

Roberts, J.E., see Kowalczyk, G. 25

Rubio, R., see Thomas, R.P. 423

Rubio, S., see Lunar, M.L. 233

Safavi, A., see Pakniat, M. 225

Salt, P.D., see Elton, N.J. 37, 57

Salter, T.L.

- and Riley, W.E.

Quartz determination in kaolin at the 0.1% level 49

Sanz-Medel, A., see Fairman, B. 401

Scerbo, R., see Caricchia, A.M. 329

Scheller, U.

—, Siedenberg, D., Hübner, U., Siebold, M., Kretzmer, G. and Schügerl, K.

Ion chromatography for monitoring biotechnological processes. Part II. Applications for industrial cultivation media 179

Schügerl, K., see Scheller, U. 179

Sheffield, G.S.

Quantitative measurement of crystalline silica by thermal analysis 125

Shibukawa, Y., see Nomura, T. 205

Siebold, M., see Scheller, U. 179

Siedenberg, D., see Scheller, U. 179

Stäb, J.A.

—, Cofino, W.P., Van Hattum, B. and Brinkman, U.A.Th. Assessment of transport routes of triphenyltin used in potato culture in the Netherlands 335

Stahl, U., see Hoffmann, K. 241

Stopford, W.

Carbonate fusion to determine quartz in respirable and bulk earth samples 67

Sucman, E., see Wang, J. 189

Szpunar-Łobińska, J., see Łobiński, R. 381

Taştekin, M., see Gündüz, T. 247

Thomas, R.P.

—, Ure, A.M., Davidson, C.M., Littlejohn, D., Rauret, G., Rubio, R. and López-Sánchez, J.F.

Three-stage sequential extraction procedure for the determination of metals in river sediments 423

Tian, B., see Wang, J. 189

Tomaino, G.P.

Quantitative determination of quartz in calcite, dolomite, and talc by powder x-ray diffraction analysis 75

Tomás, C., see Cladera, A. 253

Tseng, C.-M., see Martin, F.M. 343

Tyson, J.F., see Echols, R.T. 169

Urch, D.S., see Martins, E. 411

Ure, A.M., see Thomas, R.P. 423

Van Hattum, B., see Stäb, J.A. 335

Van Raaphorst, J.G.

-, Haremaker, H.M., Deurloo, P.A. and Beemsterboer, B.

Accurate and precise determination of chromium by isotope dilution mass spectrometry in some environmental materials 291 Wang, J.

-, Sucman, E. and Tian, B.

Stripping potentiometric measurements of copper in blood using gold microelectrodes 189

Wells, D.E.

- and Echarri, I.

Determination of chlorobiphenyls, with the separation of non-ortho, mono-ortho and di-ortho chloro congeners in fish and sea mammals 431

Wu, M.

—, Madrid, Y., Auxier, J.A. and Hieftje, G.M. New spray chamber for use in flow-injection plasma emission spectrometry 155

Yang, J., see Qin, Y. 265 Young, J., see Laskowski, J.J. 9

Zi, M., see Gao, Z. 213

